

TRANSPORT CANADA
CERTIFICATE OF APPROVAL

THIS CERTIFIES THAT THE ITEM SPECIFIED HEREIN HAS BEEN APPROVED BY TRANSPORT CANADA, IN ACCORDANCE WITH THE PROVISIONS OF THE CANADA SHIPPING ACT, 2001 AND REGULATIONS MADE THEREUNDER AND SUBJECT TO CONDITIONS SET FORTH ON THE REVERSE SIDE.

TRANSPORTS CANADA
CERTIFICAT D'APPROBATION

LES PRÉSENTES FONT FOI QUE L'ARTICLE MENTIONNÉ DANS LE PRÉSENT CERTIFICAT A ÉTÉ APPROUVÉ PAR TRANSPORTS CANADA, CONFORMÉMENT AUX DISPOSITIONS DE LA LOI SUR LA MARINE MARCHANDE DU CANADA, 2001 ET DE SES RÈGLEMENTS ET SOUS RÉSERVE DES CONDITIONS FIGURANT AU VERSO.

ISSUED TO - TITULAIRE

CROSSFIELD PRODUCTS CORP.

140 Valley Road
Roselle Park, NJ
U.S.A. 07204

ITEM - L'ARTICLE

**NON-FIRE RATED DECK COVERING - NOT READILY IGNITABLE
DEX-O-TEX COLORFLAKE "M"**

DESCRIPTION

"Dex-O-Tex Colorflake 'M'" of typical thickness of 6.35 mm (1/4") and a density of 1841 kg/m³.
Manufactured and installed in accordance with the conditions described in the attached schedule.

REMARKS - REMARQUES

1. This approval is based on tests by SGS U.S. Testing Company as per fire test report No. 118729 dated July 12, 1996.
2. The test complies with ASTM E162-94 "Standard Method for Surface Flammability of Materials Using a Radiant Energy Source", as amended.
3. Conditions of approval are specified on reverse side of this certificate.
4. Schedule attached forms part of this certificate.
5. The validity of this Certificate is contingent upon Dex-O-Tex Colorflake "M" remaining on the most recent QPL-24613 US Naval Sea Systems Command's Qualified Products List.

This approval supersedes approval number
La présente approbation remplace l'approbation n°

T.C.279.E2.120

dated
datée du

April 15, 2004

This certificate is not transferable and is effective until
Le présent certificat ne peut pas être cédé et il est valable jusqu'au

June 30, 2014

Unless cancelled or suspended by proper authority.
à moins d'annulation ou de suspension par l'autorité compétente.

Signed, on behalf of the Minister of Transport by
Signé, au nom du Ministre des Transports par

June 3, 2009

Date



Transport
Canada

Transports
Canada

CONDITIONS OF APPROVAL

CONDITIONS D'APPROBATION

The approval of the article covered by this certificate is valid only as long as the article is manufactured in accordance with the details of the approved drawing specification or other data referred to; no modification of the approved design, construction or material shall be adopted until the proposed modification has been presented for consideration of Transport Canada, and confirmation has been received that it is acceptable.

L'approbation de l'article visé par le présent certificat n'est valable que dans la mesure où la fabrication de cet article satisfait aux dessins, devis ou autres données approuvés; aucune modification du dessin, de la construction ou du matériau approuvés ne sera adoptée avant que la modification envisagée n'ait été présentée pour étude à Transport Canada, et que confirmation de son acceptabilité n'ait été reçue.

This certificate may be suspended or cancelled if the manufacturer deviates from the standards prescribed for the equipment herein specified.

Le présent certificat pourra être suspendu ou annulé si le fabricant s'écarte des normes prescrites pour l'équipement mentionné aux présentes.

Large empty rectangular area for technical details, drawings, and specifications.

April 13 2004

T-13182-130

June 30 2014

[Handwritten signature]

June 3 2004



SCHEDULE OF APPROVAL

APPLICATION / LIMITATION:

Approved for use as a non-fire rated deck covering – surface finish material – not readily ignitable.

APPROVAL DOCUMENTATION:

1. SGS U.S. Testing Company test report No. 118729 dated July 12, 1996.
2. US Naval Sea Systems Command Qualified Products List QPL-24613-30, dated July 23, 2002 and amended on October 31, 2003.

CONSTRUCTION / INSTALLATION:

1. The composition and other relevant properties of “Dex-O-Tex Colorflake ‘M’” are to be the same as those tested by SGS U.S. Testing Company and described in their report listed above.
2. The surface preparation and method of application are to be in accordance with the manufacturer’s instructions.

RESPONSIBILITY:

It is the responsibility of the manufacturer to ensure that the container in which the material is packed is identified with respect to its trade name and manufacturing date.

CONDITIONS:

1. This approval is granted on the understanding that the Board of Steamship Inspection reserves the right to require check tests to be carried out on “Dex-O-Tex Colorflake ‘M’” at any time and that Crossfield Products Corp. will accept the responsibility for informing ship owners, naval architects, shipbuilders and their sub-contractors of the conditions of this approval.
2. The surface finish material “Dex-O-Tex Colorflake ‘M’” is to prove satisfactory in service.
3. This certificate may be suspended or cancelled if the manufacturer deviates from any of the conditions described herein without the prior consent of the Board of Steamship Inspection.

END OF CERTIFICATE